

96  
13. (Amended) A knife holder for use with a base defining a pivot point for holding a  
knife having a first side and a second side, the knife holder comprising:

94  
a first clamping portion adapted to receive the first side of the knife;

92  
a second clamping portion adapted to receive the second side of the knife  
96  
and to pivot about [a] said pivot point; and

B!  
a clamping mechanism coupled to said second clamping portion and  
adapted to pivot said second clamping portion about said pivot  
point for clamping the knife between said first and said second  
clamping portions, said first clamping portion being fixedly  
disposed above said base, said second clamping portion being  
disposed between said first clamping portion and said base,  
wherein said second clamping portion is adapted to pivot about  
said pivot point in response to movement of said clamping  
mechanism.

14. (Amended) The knife holder of claim 13, [18] wherein said first clamping portion  
and said second clamping portion include complementary pinch-off surfaces adapted to be  
spaced apart in [said] a first relative position, and to make contact in [said] a second relative

position wherein, in cooperation with said pivot point, said pinch-off surfaces fixedly maintain said second clamping portion between said first clamping portion and said base.

B1  
B2  
16. (Amended) The knife holder of claim 13, [18] wherein said clamping mechanism includes a threaded fastener having an end, wherein said first clamping portion is adapted to threadingly receive said threaded fastener so that said end extends beyond said first clamping portion for coupling to said second clamping portion.

Please add new claims 19-25:

3  
B  
Claim 19. The knife holder of claim 16, wherein said first clamping portion and said second clamping portion include complementary pinch-off surfaces adapted to be spaced apart in a first relative position, and to make contact in a second relative position wherein, in cooperation with said pivot point, said pinch-off surfaces fixedly maintain said second clamping portion between said first clamping portion and said base.

Claim 20. The knife holder of claim 19, wherein said pinch-off surfaces are further adapted in said second relative position of said clamping portions to close off open space in the knife holder that is disposed behind the knife.

Claim 21. The knife holder of claim 14, wherein said clamping mechanism includes a threaded fastener having an end, wherein said first clamping portion is adapted to threadingly

receive said threaded fastener so that said end extends therebeyond for coupling to said second clamping portion.

Claim 22. A chipping apparatus comprising:

a disc rotatable in a cutting plane;

a knife holder attached to said disc; and

at least one knife having a first side and a second side; said knife holder including a base defining a pivot point, a first clamping portion adapted to receive the first side of the knife, a second clamping portion adapted to receive the second side of the knife and to pivot about said pivot point and a clamping mechanism coupled to said second clamping portion and adapted to pivot said second clamping portion about said pivot point for clamping the knife between said first and said second clamping portions, said first clamping portion being fixedly disposed above said base, said second clamping portion being disposed between said first clamping portion and said base, wherein said second clamping portion is adapted to pivot about said pivot point in response to movement of said clamping mechanism.

Claim 23. The knife holder of claim 22, wherein said first clamping portion and said second clamping portion include complementary pinch-off surfaces adapted to be spaced apart in a first relative position, and to make contact in a second relative position wherein, in cooperation with said pivot point, said pinch-off surfaces fixedly maintain said second clamping portion between said first clamping portion and said base.

3  
Claim 24. The knife holder of claim 23, wherein said pinch-off surfaces are further adapted in said second relative position of said clamping portions to close off open space in the knife holder that is disposed behind the knife.

Claim 25. The knife holder of claim 22, wherein said clamping mechanism includes a threaded fastener having an end, wherein said first clamping portion is adapted to threadingly receive said threaded fastener so that said end extends therebeyond for coupling to said second clamping portion.

---